

Handout 1: Bode plot rules reminder

Eric Feron

Feb 4, 2004

General: Bode plot is to plot magnitudes using logarithm scale, phases using log scales. Indeed:

$$G(j\omega) = \frac{s_1 s_2}{s_3} = \frac{r_1 e^{j\theta_1} r_2 e^{j\theta_2}}{r_3 e^{j\theta_3}} =$$

Thus $|G(j\omega)| =$

Then $\log_{10} |G(j\omega)| =$.

Recall $\log_{10} A e^{j\phi} =$

In decibels: $|G|_{\text{db}} =$

- Bode plots of systems
- The range over which system behavior can be plotted is
- Bode plots can be determined
- Compensation can

Example: $KG(j\omega) = \frac{j\omega\tau_1 + 1}{(j\omega)^2(j\omega\tau_a + 1)}$

$$\text{Phase}(KG(j\omega)) =$$

$$\log |KG(j\omega)| =$$

$$\text{in Decibels, } |KG(j\omega)_{\text{dB}}| =$$

Basic terms for transfer functions:

1. $K(j\omega)^n$

Bode plot for $n = 0, 1, -1, -2$

2. $(j\omega\tau + 1)^{\pm 1}$

$$3. \left(\left(\frac{j\omega}{\omega_n} \right)^2 + 2\zeta \frac{j\omega}{\omega_n} + 1 \right)^{\pm 1}$$

Example: $G(s) = \frac{2000(s + 0.5)}{s(s + 10)(s + 50)}$

Write transfer function in standard form

Bode plot

Example: $G(s) = \frac{0.01(s^2 + 0.01s + 1)}{s^2((s/2)^2 + 0.02(s/2) + 1)}$

Bode plot